



## Fresh Concrete Test

### EN 12350

#### Ⓐ Flow Table Complete

- flow table with galvanized table plate
  - dimensions: 700 x 700 mm +/- 2 mm
  - weight of moveable plate 16 +/- 0,5 kg
  - stroke height 40 mm
  - type plate with production no.
  - placing funnel
  - tamper made of hardwood
- Order-No. B1814

#### Ⓑ Air Entrainment Meter

- for testing of air content of fresh concrete
  - pressure compensation method
  - test container volume 8 ltr.
  - test container with 2 carrying handles
  - manometer protection and carrying handle for the upper part
  - incl. calibration equipment (each one test tube straight and bent)
  - wash bottle 1000 ml
  - operation manual
- Order-No. B2020

#### Ⓒ Transport- and Storage Case

- for air entrainment meter B2020
  - stable aluminium case
  - 2 solid and safe one hand tension locks
  - ventilation slots
  - cover opening with carrying handle
- Order-No. B2024

#### Ⓓ Filling Ring

- for air entrainment meter B2020
- Order-No. B2021

#### Ⓔ Compactibility Container „Walz“

- dimensions 200 x 200 x 400 mm
- Order-No. B2001

#### Ⓕ Hand Shovel

- for sampling
  - made of aluminium
  - content 900 cm<sup>3</sup>
- Order No. S0810

#### Ⓖ Bevelled Straight Edge

- made of steel
  - with bevel
  - length 400 mm
- Order-No. B1613

**Fresh Concrete Test**

**EN 12350**



**Ⓐ Electronic Platform Balance**

- with separate display
  - IP 65
  - weighing platform made of stainless steel
  - weighing platform 310 x 300 mm
  - weighing capacity 0 ... 30 / 60 kg
  - resolution 10 / 20 g
  - with power supply unit 230 Volt
- Order-No. O03510

**Ⓑ Electronic Platform Balance**

- with separate display
  - with innovative touch screen
  - IP 65
  - with data interface RS 232
  - weighing platform made of stainless steel
  - weighing platform 315 x 305 mm
  - weighing capacity 0 ... 30 kg
  - resolution 0.5 g
  - with power supply unit 230 V
- Order-No. O014501

**Ⓒ Digital Concrete Thermometer**

- with LCD-digital display
  - digit height 5 mm
  - measuring range -50 ... +200 °C
  - resolution 0.1 °C
  - length 125 mm
- Order-No. R0110

**Ⓓ Concrete Thermometer**

- big LCD-display digit height 15 mm
  - penetration probe 100 mm with cable 100 cm
  - measuring range -40 ... + 200 °C
  - resolution 0.1 °C
- Order-No. R0114

**Ⓔ Infrared Thermometer**

- for non contacting measurement of fresh concrete temperature
  - big LCD-display digit height 8 mm
  - measuring range -35 ... + 365 °C
  - resolution 0.1 °C
- Order-No. R0201



**FORM+TEST Seidner & Co. GmbH**

Post box 1154 • D-88491 Riedlingen  
phone.: +49 (0) 7371 9302-0 • fax: -99

www.formtest.de  
sales@formtest.de